



# **Juzisound Total SOLO Sampler 2**

## **How to control KORG KRONOS Master Transpose and Scale from Sampler 2**

**Version: 1.0**

## **Hardware connection**


To control KORG KRONOS Master Transpose and Scale from Juzisound Total SOLO Sampler 2, need to use 2 MIDI cables:

1. First MIDI cable is connected from KORG MIDI Out to sampler MIDI In.
  
2. Second MIDI cable is connected from Sampler MIDI Out to KRONOS MIDI In.

## **KRONOS Settings**


# 1

In GLOBAL -> Basic -> Basic parameter "Osc/Timbre/Track Transpose" need to be "Transpose Scale".




# 2

In GLOBAL -> MIDI -> MIDI parameter "Convert Position" need to be **"Pre-MIDI"**, else KRONOS not send velocity curves to MIDI OUT.




# 3

In GLOBAL -> Controllers/Scales -> User Scales, User Octave Scale 00 need to be saved with all notes to +00.



# 4


All PROGRAM of KRONOS need to be updated and saved to use "User Octave Scale 00" and scale Key "C" !



# 5


All COMBI of KRONOS need to be **updated** and **saved** to use "User Octave Scale 00" and scale Key "C"!

All COMBI of KRONOS need to be **updated** and **saved** with **unchecked** check boxes in parameter line "User Programs Scale"



# Sampler 2 Settings

1




In MENU -> Global Setup -> MIDI Connectors need to be selected **top right box**, where have MIDI IN and MIDI OUT. This setup second MIDI connector to work like MIDI OUTPUT.

2




In MENU -> Global Setup -> External MIDI Control -> Tab Master Transpose parameter "**Receive Master Transpose Sysex Message**" need to be "NO". This avoid control of master transpose from KRONOS. Control of master transpose is made only from Sampler 2!

3




In MENU -> Global Setup -> External MIDI Control -> Tab Master Transpose parameter "**Apply Master Transpose To In Notes**" need to be "NO". This avoid double transpose, because KRONOS send already transposed notes!

4



In MENU -> Global Setup -> External MIDI Control -> Tab Master Transpose parameter "**Apply M. Transpose to Scale received by Sysex**" need to be "NO".

5



In MENU -> Global Setup -> External MIDI Control -> Tab Other Control, parameter "**Control SCALE by Sysex Message**" need to be "**DISABLED**". This prevent for control of scale from KORG KRONOS.

6



In MENU -> Global Setup -> Messages To MIDI Out parameter "**Send Local M. Transpose (Sysex)**" need to be "**General MIDI**".

7



In MENU -> Global Setup -> Messages To MIDI Out parameter "**Send Local Scala (Sysex)**" need to be "**KORG KRONOS Scale 00**".

8



In MENU -> Global Setup -> Messages To MIDI Out parameter "**Send Transposed Scala To MIDI Out**" need to be "**YES**".

9



In MENU -> Global Setup -> Messages To MIDI Out parameter "**Send Local Preset Number Mode**" need to be "OFF". This avoid sending of Program Change messages from sampler, when change presets. Programs is changed only from KRONOS.

**Save global after change settings!**

# Juzisound Ltd

**Address:**

76 Bozhin Chulev str., 5897 Zgalevo, BULGARIA

Phone: +359 887/69-47-09

Phone: +359 887/69-47-10

E-mail: [juzisound\\_ltd@abv.bg](mailto:juzisound_ltd@abv.bg)

Internet site: [www.juzisound.com](http://www.juzisound.com)